

MU-7000AV

3.5" Network Multimedia Home Entertainment Center

The MU-7000AV is a compact & excellent quality portable multimedia player. It gives you freedom to playback all of your favorite video and audio files anywhere you go - at home, in the hotel room, in the office. It supports various video formats such as AVI (DivX, XviD), DAT, MPG, VOB etc. Apart from that, it can be used as a multimedia player, MP3 player or photo slider in your living room.



IO/100 Mbps

USB2.0

One touch back up

Video



Photo

Music

Network Multimedia Home Entertainment Center

Networking Share Station

Ultimate proof that the MU-7000AV is multimedia wonder can be seen with the Bit torrent function. You can set your Bit torrent download location to MU-7000AV and once the torrent has been downloaded you can share your entertainment without any limits. Enjoy your home entertainment while you are watching movies or listening to music.



Store Video to your MU7000AV

The MU-7000AV is a wired multimedia server with one 3.5" Hard Drive bay and a USB 2.0 port. Therefore, you can install any 3.5" SATA or IDE Hard Drive and share it instantly on the network. Users can use My Network Place to access the Hard Drive. You can even set it as a network Drive.

Manufacturer

OvisLink Corp.

5F, No.96, Min-ChuanRd, Hsin-tien City, Taipei, Taiwan

www.airlive.com


Play Videos Directly form HDD

MU7000AV, an USB2.0/Ethernet combo HDD Storage, integrates Multimedia & Network as a home entertainment center. It not only plays movies, music & photos directly onto your TV, but it also enables users to share, store and play multimedia files by connecting it to a wired or wireless router.

Kids-Lock Function

This function acts as a parental control agent. It will lock the hard drive partition, if there are files on your hard disk that you do not wish you're the youngest members of your family to access. You can simply setup the password to prevent unauthorized access. You cannot enter the partition unless you enter the correct password.

Packaging



Specifications

Model Name
- MU-7000AV

Color
- Sliver

Case Material
- Aluminum + Nickel-plated Frame

Main Application
- Any 3.5" IDE/SATA hard drive disk
- CPU
- 32-bit RISC

TV out Function
- Main Menu:
Photo/Music/Movie/File
- Media file format support:

- (1) Video format MPEG-1 (AVI, MPG, DAT)/ MPEG-2 (AVI, VOB)/ MPEG-4 (AVI, Divx, Xvid V5.0 below)
- (2) Audio format MP3, with sound effect settings (normal/pop/jazz/rock/ball/classic)
- (3) Photo format JPG baseline and progressive up to 8 mega pixel, Motion JPEG
- (4) Subtitle format support Ass/srt/smi/psb/ssa/sub_txt(micro_dvd).
- (5) Languages supported
 - (a) Standard: English/Traditional Chinese
 - (b) Optional: Simple Chinese/Korean/Japanese/French/Germanic/Italian/Spanish/Denmark/ Polish/Portugal/

- Kids-Lock function
Easily OSD for password management to prevent unauthorized person to access.

Network Function

- A unique hardware ID and access key-code allows specifying right of read or write access.
- The drive is invisible and safe from external hackers without TCP/IP

USB Storage function

- Typical USB 2.0 storage device
- One-Touch-Backup

Interface

- TV mode
 - (1) Video: NTSC/PAL (720:480/720:576) Composite Video, S-Video (720p), YUV output, CCIR656/601 YUV 4:2:2 output.
 - (2) Audio: Dual Stereo Analog Audio
 - (3) Front Panel Control: Up/Down/Left/Right/OK/Power/Menu buttons
- Network mode
Fast Ethernet 10/100Base-TX Auto MDI/MDI-X, 1 port (RJ-45)
- USB mode
USB 2.0 high speed interface (USB 1.1 backwards compatible)

File system

- TV mode: FAT16/32
- Network Mode: FAT16/32, NTFS
- USB mode: FAT16/32, NTFS

Firmware Upgradeable Support

- TV mode: Supported

System Requirement

- Network Mode:
 - (1) Windows 98SE / 2000 / XP / Linux Red Hat 9.0
233 MHz Pentium R II equivalent or higher
64 MB RAM (128 MB recommended)
USB 1.1 Port (USB 2.0 recommended)
CD-ROM drive for installation
100Base-T full duplex switch
 - (2) Mac OS X
G4 processor or higher running OS 10.2.8 or higher
128 MB RAM (256 MB recommended)
USB 1.1 Port (USB 2.0 recommended)
CD-ROM drive for installation
100Base-T full duplex switch
Your hardware device must have proper port or PCI card
- USB Mode:
Windows 98SE, Win2000, WinME, WinXP, Mac OS 9.x above

Power Supply

- Input: AC 100-240V, 0.6A, 50/60Hz
- Output: DC +5V/1.5A, +12V/1.8A

Accessories

- Cables:
 - (1) USB 2.0 Cable (AM to BM) x 1
 - (2) Network Cable x 1
 - (3) Video cable (AV+S video) x 1
 - (4) Audio cable x 1
- Quick Guide x 1
- Remote Control x 1
- Power adapter x 1
- Installation CD
 - (1) USB Driver (For Windows 98 SE)
 - (2) Network Driver (For Windows XP / 2000: Windows Me / 98SE & Mac 10.3 above)
 - (3) FAT32 transfer tool
 - (4) One-Touch-Backup

Case size

- 210 x 125 x 38mm (L x W x H)

Ordering Information:

MU-7000AV 3.5" Network Multimedia Home Entertainment Center