

IP-1000UR

Broadband Router + USB Print Server



After more than half year of research and development. A whole new generation of high speed broadband routers from AirLive is set to revolutionize the networking industry. The F-type Broadband routers combine the fast performance, outstanding stability, and comprehensive features in an award winning designer's housing.

Breathtaking Housing Design

The F-Type housing is the latest design from the renown AirLive Industrial Design Studio. Crafted with sumptuous curves running across the awe inspiring body, it is truly a piece of modern art to behold. But the design has functionalities much more than what meet the eyes. The large surface of air cooling ducts in the vaulted underside allows air to run freely into the router from below, then goes out to the stylish air grills on the side. The side fins are angled 45 degree downward to prevent dust from entering the router. The end result is a router that can breath freely to accommodate a high performance CPU without the worry for overheating.

Wired Speed Routing Performance

The IP-1000UR offers unprecedented IP sharing performance at a surprisingly affordable price. The router is equipped with a powerful processor that can support close to 100Mbps of Internet connection speed which is the speed of the Fast Ethernet connection. With this amazing throughput and a 10/100Mbps WAN port, the router is ready for use with the latest broadband solutions such as VDSL and FTTH. In addition, it comes with 4 auto sensing switching ports with auto-MDI/MDIX function to eliminate the need for cross-over cable.



USB Print Server

The IP-1000UR is equipped with 1 USB printer port. Therefore, you can attach up one USB printer and share them over the network. After plugging in the printers, the router can display the printer's status right on the screen. Then user can configure the network printer on the PC simply.





Scheduling Firewall



Security has always been a primary concern for IP sharing and wireless environment. For this reason, AirLive has incorporated a full feature firewall that includes SPI, DoS Attack Prevention, VPN packet filter, and Threshold monitor. The SPI (Stateful Packet Inspection) technology detect situations where individual TCP/IP packets are valid but collectively they become a hacker attack.

The Router is the first in its price range to feature a policy based Firewall. Therefore, you can define which inbound or outbound traffic are allowed. Moreover, the scheduling feature allow user to define what time and day of the week the service would be available.

The URL and domain blocking prevent users from accessing unwanted website by IP or by the domain name. Email notification function enables the router to send email to notify user about hacker's attack or scheduled report on connection log. The IP-1000UR even offer the Syslog feature, so administrator can have the log recorded on a separate PC server. Comprehensive content filter and Access Control let administrator monitor and control the network for optimal security and performance.

Wake-on-LAN and Special FTP port

The IP-1000UR features a special Wake-On-LAN function. So you can login to the router's UI from Remote, then ask the router to send out WOL packet to wake up specific PCs. The special FTP port allow your router to redirect FTP traffic to a different port than the standard Port 21, so you can continue to operate the FTP server even if your ISP block certain ports.


Easy Management

The router UPnP (Universal Plug-n-Play) capability let your router configure correctly with your PC and multi-user Internet application. The web management features comprehensive online help to explain every single function. Best of all, the setup Wizard guides user through to set up the Internet connection easily. For ISP and enterprise customer, the router support SNMP management functions.

Global Broadband Standard Support

AirLive has invested extra software effort to ensure compatibility with the global broadband standard. In addition to the standard cable modem, fixed IP, and PPPoE client xDSL support. OvisLink has added support for PPTP client (Holland, Austria, England, Israel, Czech Republic), L2TP(Holland, Israel), Telstra Bigpond Cable(Australia), and SingTel RAS (Singapore). The IP-1000UR is designed to work with most broadband connections in the world.

With AirLive's Type-F series, the router is no longer just some device you want to stow away hidden. In addition to be a reliable device that you can depend on for Internet sharing, its stylish housing can also be the center piece for your home or office.





Specification

Ports

- 10/100Mbps WAN port
- 4 x 10/100Mbps switching LAN ports
- Auto MDI/MDI-X functions
- 1 x USB Printer Port

Configuration

- Web browser
- Web-based Setup Wizard
- SNMP Management
- Detailed On-Line Help
- Configuration Back and Restore
- Firmware Upgradeable
- Reset button provided

Broadband Support

- PPPoE client
- PPTP client
- L2TP Client
- Cable Modem
- Fixed IP
- Telstra Bigpond Cable
- SingTel RAS
- FTTH
- VDSL

Wake On LAN

- Wake up PC using MAC address
- Activate from DHCP Client list or *Maintenance->Miscellaneous*

Management Function

- DHCP Server for up to 253 clients
 - Lease Time, Fixed IP mapping
 - Including DNS, DNS2, WINS Server, WINS Server2.
- DHCP client to acquire dynamic network configuration from ISP
- Proxy DNS
- Dynamic DNS
- Virtual Server

- Multi-session PPTP, L2TP, and IPsec VPN pass through
- Static Routing
- Access Control
 - Block
- Packet Filter
 - In Bound Filter
 - OutBound Filter
- Schedule Control (Time and Day of the Week)
- Remote Management
- Session/User Lists
- Syslog
 - System Activity
 - Debug Information
 - Attacks
 - Dropped Packets
 - Notice
- Email Notification
- Hacker Attack
- Connection Log
- Scheduled

Firewall

- Stateful Packet Inspection(SPI)
- DoS Attack Prevention
- L2TP, PPTP, IPsec filter
- Disable WAN PING

OS Support

- Windows 95/98/NT/ME/2000/XP
- Unix
- Macintosh
- Any platform that support Web browser

Supported Protocols

- TCP/IP, NAT, ARP, ICMP, DHCP client/server, PPPoE, PPP, PAP, CHAP, NTP, HTTP, TFTP, POP3

LED Indicators: Power, WLAN, Status, USB, WAN, LAN x 4 (Link, Speed)

EMI: Meet CE, FCC part 15 Class B, BSMI, VCCI, C-tick

Dimension: 160 x 115 x 30mm

Weight: 210g

Power: DC 5V, 2A

Ordering Information

IP-1000UR Broadband Router + USB Print Server

Manufacturer

OvisLink Corp.